Docket No.: 612408006US1

(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Letters Patent of:

Li et al.

Patent No.: 7,864,725

Issued: January 4, 2011

For: METHODS AND APPARATUS FOR
OVERLAYING MULTI-CARRIER AND
DIRECT SEQUENCE SPREAD SPECTRUM
SIGNALS IN A BROADBAND WIRELESS
COMMUNICATION SYSTEM

REQUEST FOR CERTIFICATE OF CORRECTION PURSUANT TO 37 C.F.R. § 1.323

Attention: Certificate of Correction Branch Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir

Upon reviewing the above-identified patent, Patentee noted typographical errors which should be corrected.

The applicant(s) requests a Certificate of Correction to correct the errors in the above-identified patent, which are listed on the attached Form PTO/SB/44.

Some of the errors were found in the application as filed by applicant. Please charge our Credit Card in the amount of \$100.00 covering the fee set forth in 37 CFR 1.20(a).

Patent No.: 7.864.725 Docket No.: 612408006US1

The errors now sought to be corrected are inadvertent typographical errors the correction of which does not involve new matter or require reexamination.

Transmitted herewith is a proposed Certificate of Correction effecting such amendment. Patentee respectfully solicits the granting of the requested Certificate of Correction

The Director is hereby authorized to charge any deficiency in the fees filed, asserted to be filed or which should have been filed herewith (or with any paper hereafter filed in this application by this firm) to our Deposit Account No. 50-0665, under Order No. 612408006US1.

Dated: 8 Nos 2011

Respectfully submitted,

Stephen Bishop

Registration No.: 38,829 PERKINS COIE LLP

P.O. Box 1247

Seattle, Washington 98111-1247

(206) 359-8000 (206) 359-7198 (Fax) Attorney for Applicant

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 7,864,725

Page 1 of 2

(Also Form PTO-1050)

APPLICATION NO.: 10/583,229

ISSUE DATE : January 4, 2011

INVENTOR(S) : Xiaodong Li et al.

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In column 3, line 56, delete "vise versa." and insert - - vice versa. - -, therefor.

In column 8, line 4, delete "MS₁" and insert - - MS₁ - -, therefor.

In column 9, line 4, delete "MS," and insert - - MS₁ - -, therefor.

In column 9, line 4, delete " MS_k " and insert - - MS_k - -, therefor.

In column 9, line 51, delete "MS₁" and insert - - MS₁ - -, therefor.

In column 11, line 38, in claim 13, delete "a" and insert - - α - -, therefor.

In column 12, line 44, in claim 22, delete "SINR_{mc}" and insert - - SINR_{MC} - -, therefor.

In column 12, line 45, in claim 22, delete "and/is" and insert - - and I is - -, therefor.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Stephen Bishop PERKINS COIE LLP P.O. Box 1247

Seattle, Washington 98111-1247

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 38 USS. 122 and 37 CFR 1.14. This collection is extend to late 1.0 hour complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Hospital Complete the Sent of the Chief Hospital Complete the Sent and and Sent and S